

Highly Erodible Lands Report Marengo County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
BaA	BAMA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
BaB	BAMA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
BbA	BIBB-IUKA COMPLEX, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
BgB	BIGBEE LOAMY SAND, 0 TO 5 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
BnB	BONNEAU LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
BoB	BOYKIN LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
BpE	BOYKIN-WADLEY COMPLEX, 15 TO 30 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BrC	BRANTLEY FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
BrD2	BRANTLEY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
BsF2	BRANTLEY-OKEELALA COMPLEX, 15 TO 35 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
CaA	CAHABA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	not highly erodible	not highly erodible	not highly erodible
CbA	CAHABA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
CcB	CAHABA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, RARELY FLOODED	not highly erodible	potentially highly erodible	potentially highly erodible
ChB	CHRYSLER-LENOIR COMPLEX, GENTLY UNDULATING, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
CoA	CONSUL CLAY, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
DeD2	DEMOPOLIS SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
DuD	DEMOPOLIS-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
FnB	FAUNSDALE CLAY LOAM, 1 TO 3 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
FnC	FAUNSDALE CLAY LOAM, 3 TO 5 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
FsB	FREEST FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
GdE3	GULLIED LAND-DEMOPOLIS COMPLEX, 2 TO 12 PERCENT SLOPES, SEVERELY ERODED	not highly erodible	highly erodible	highly erodible
HaB	HALSO FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
HaD2	HALSO FINE SANDY LOAM, 5 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible

Highly Erodible Lands Report, cont.

Marengo County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
HbA	HARLESTON-BIGBEE COMPLEX, GENTLY UNDULATING, RARELY FLOODED	not highly erodible	not highly erodible	not highly erodible
HoA	HOULKA SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
IzA	IZAGORA SANDY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	not highly erodible	not highly erodible	not highly erodible
KpC	KIPLING CLAY LOAM, 1 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
KuC	KIPLING-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
Laa	LUCEDALE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
LvB	LUVERNE SANDY LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
LvD2	LUVERNE SANDY LOAM, 5 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
MiA	MINTER LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
MKA	MOOREVILLE, MANTACHIE, AND KINSTON SOILS, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
OkC	OKTIBBEHA CLAY LOAM, 1 TO 5 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
Otd2	OKTIBBEHA CLAY, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
Pt	PITS	not highly erodible	not highly erodible	not highly erodible
Qu	QUARRY	not highly erodible	not highly erodible	not highly erodible
RvA	RIVERVIEW FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible
SaA	SAVANNAH FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
ScC2	SEARCY FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SdC	SMITHDALE LOAMY SAND, 5 TO 8 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
SdD	SMITHDALE LOAMY SAND, 8 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
SmF	SMITHDALE-BOYKIN-LUVERNE COMPLEX, 15 TO 45 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
SnA	STEENS-YONGES-HARLESTON COMPLEX, 0 TO 2 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
SrB	SUBRAN LOAM, 2 TO 5 PERCENT SLOPES	not highly erodible	potentially highly erodible	potentially highly erodible
StA	SUCARNOOCHEE CLAY, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
SuE2	SUMTER SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
SwB	SUMTER-WATSONIA COMPLEX, 1 TO 3 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
SwC2	SUMTER-WATSONIA COMPLEX, 3 TO 8 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
TsA	TUSCUMBIA CLAY LOAM, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
UnA	UNA SILTY CLAY, PONDED	not highly erodible	not highly erodible	not highly erodible
Ur	URBAN LAND	not highly erodible	not highly erodible	not highly erodible

Highly Erodible Lands Report, cont.

Marengo County, Alabama

Map Symbol	Soil Mapunit Name	HEL Classification R=___ C=___		
		Wind	Water	MU
UuB	URBO-MOOREVILLE-UNA COMPLEX, GENTLY UNDULATING, FREQUENTLY FLOODED	not highly erodible	not highly erodible	not highly erodible
VdA	VAIDEN SILTY CLAY, 0 TO 1 PERCENT SLOPES	not highly erodible	not highly erodible	not highly erodible
WdD	WADLEY LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
WxB	WILCOX CLAY, 1 TO 5 PERCENT SLOPES	not highly erodible	highly erodible	highly erodible
WxD2	WILCOX CLAY, 5 TO 15 PERCENT SLOPES, ERODED	not highly erodible	highly erodible	highly erodible
YoA	YONGES FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	not highly erodible	not highly erodible	not highly erodible